

Amendments to the claims:

Please replace all prior versions and listings of the claims with the following amended claims:

Listing of Claims:

- 1 1. (Currently Amended) A device comprising a cleaning head, the cleaning head  
2 comprising:  
3 a) a first region with a first squeegee element with elongated walls that protrude to  
4 form an elongated wiping edge configured to treat a working surface, the first  
5 region being configured to move in a first direction; and  
6 b) a second region with bristles configured to simultaneously treat the working  
7 surface,  
8 wherein the second region being is configured to move independently of separately from  
9 the first region in a second direction that is different from the first direction.
- 1 2. (Original) The device of claim 1, wherein the second region further comprises a second  
2 squeegee element.
- 1 3. (Original) The device of claim 1, wherein the first region further comprises bristles.
- 1 4. (Previously Presented) The device of claim 1, wherein the at least one of the first region  
2 and second region is configured to rotate or oscillate.
- 1 5. (Canceled).
- 1 6. (Currently Amended) The device of claim 1, wherein the elongated walls of the first  
2 squeegee element ~~comprises a squeegee wall that encircles~~ encircle an inner squeegee  
3 region.
- 1 7. (Original) The device of claim 1, wherein the second region comprises a second squeegee  
2 element.

- 1      8.      (Canceled).
- 1      9.      (Canceled).
- 1      10.     (Canceled).
- 1      11.     (Canceled).
- 1      12.     (Currently Amended) A device comprising a motorized cleaning head, the motorized  
2             cleaning head comprising:  
3             a)      a first region configured to automatically move in a first direction, the first region  
4             comprising:  
5                 i.             a squeegee member with elongated squeegee walls that protrude to  
6                 from an elongated wiping edge; and  
7                 ii.            bristles flanking the elongated walls; and  
8             b)      a second region configured to automatically move in a second direction that is  
9             different from the first direction, the second region comprising ~~a portion of the~~  
10            bristles.
- 1      13.     (Previously Presented) The device of claim 12, wherein the elongated squeegee walls are  
2             curved.
- 1      14.     (Previously Presented) The device of claim 12, wherein the first region is configured to  
2             rotate or oscillate.
- 1      15.     (Canceled).
- 1      16.     (Previously Presented) The device of claim 12, wherein the elongated squeegee walls  
2             encircle at least a portion of the bristles.
- 1      17.     (Previously Presented) The device of claim 12, wherein the elongated squeegee walls are  
2             surrounded by at least a portion of the bristles.

1 18. (Canceled).

1 19. (Previously Presented) The device of claim 12, wherein the second region is configured to  
2 rotate or oscillate.

1 20. (Currently Amended) A cleaning device comprising a detachable cleaning head  
2 comprising:

- 3 a) a first section configured to automatically rotate or oscillate while coupled  
4 to the motorized handle; and  
5 b) a second section surrounding the first section configured to automatically  
6 rotate or oscillate while coupled to the motorized handle, wherein the  
7 second section is configured to automatically rotate or oscillate at a rate or  
8 direction that is different from that of the first section, and wherein both  
9 the first and the second sections each comprise ~~bristles~~ a squeegee wiping  
10 element.

1 21. (Currently Amended) The device of claim 20, further comprising ~~one or more squeegee~~  
2 ~~wiping elements~~ bristles.

1 22. (Canceled).

1 23. (Canceled).

1 24. (Canceled).

1 25. (Currently Amended) A device comprising a cleaning head comprising:

- 2 a) a first wiping region; and  
3 b) a second wiping region, wherein the first wiping region surrounds the second  
4 wiping region and the first wiping region and the second wiping section are  
5 configured to move automatically and separately ~~move independently~~ from each  
6 other, wherein at least one of the first wiping region and the second wiping region  
7 comprises a squeegee element with elongated walls that protrude to form a top

8                    wiping edge and at least one of the first wiping region and the second wiping  
9                    region comprises bristles.

- 10
- 11    26.    (Currently Amended) A device comprising a cleaning head, the cleaning head  
12           comprising:
- 13           a)        a first region with a first squeegee element with an elongated wiping edge and  
14                   elongated walls and bristles configured to treat a working surface; and  
15           b)        a second region that is separate from the first region, the second region  
16                   comprising with bristles configured to simultaneously treat the working surface;  
17                   and  
18           c)        means to couple the cleaning head to a motorized handle that automatically moves  
19                   the first region relative to the second region.

- 1    27.    (Previously Presented) The device of claim 26, wherein the second region further  
2           comprises a second squeegee element.

- 1    28.    (Currently Amended) A device comprising a cleaning head, the cleaning head  
2           comprising:
- 3           a)        a first region with a first squeegee element comprising a continuous wiping edge  
4                   configured to treat a working surface, the first region being configured to move;  
5                   and  
6           b)        a second region with a second squeegee element configured to simultaneously  
7                   treat the working surface,  
8           wherein at least one of the first region and the second region is ~~being~~ configured to  
9           automatically move independently and separately of the other of the first region and the  
10           second region, while the cleaning head is coupled to a motorized handle.

- 1    29.    (Previously Presented) The device of claim 28, wherein the first region further comprises  
2           bristles.

- 1    30.    (Previously Presented) The device of claim 29, wherein the second region further  
2           comprises bristles.

- 1     31.     (Currently Amended) An electric toothbrush with a cleaning head, the cleaning head  
2           comprising:  
3           a)     a first region with a continuous squeegee element that encircles a portion of the  
4           first region, wherein the first region is coupled to a drive mechanism configured to  
5           ~~rotate or oscillate~~ for automatically rotating or oscillating the first region; and  
6           b)     ~~bristle~~ bristles protruding from a second region that is separate from the first  
7           region, wherein the bristles surround ~~surrounding~~ at least a portion ~~first~~ of the  
8           continuous squeegee element, and wherein the ~~bristles are~~ second region is  
9           configured to rotate or oscillate.
- 1     32.     (Previously Presented) The electric toothbrush of claim 31, further comprising bristles  
2           protruding from the portion of the first region that is encircled by the continuous squeegee  
         element.
- 1     33.     (Previously Presented) An electric toothbrush with a cleaning head, the cleaning head  
2           comprising:  
3           a)     a first region with a continuous squeegee element that encircles bristles that  
4           protrude from the first region and wherein the first region is configured to rotate  
5           or oscillate; and  
6           b)     a second region configured to automatically move independently from the first  
7           region, the second region comprising at least one of a squeegee, bristle tufts and  
         nodules.